

[10191/2313]

2858
A
JFW

THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s) : Thomas LENZING et al. Confirmation No.: 2176

Serial No. : 10/088,841

Filed : December 9, 2002

For : DEVICE FOR DETERMINING AT LEAST ONE
PARAMETER OF A FLOWING MEDIUM

Examiner : Jewell Thompson
Art Unit : 2854
the United States Postal Service as first class mail in an envelope
addressed to: Commissioner for Patents, P.O. Box 1450
Alexandria, VA 22313-1450, on

Customer No. :

Date 7/9/04
26646

Atty's Reg. # 41,172

Atty's Signature

LG 2 mag
DERVIS MAGISTRE
KENYON & KENYON

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT TRANSMITTAL

SIR:

Please find an Amendment transmitted herewith for filing in the
above-identified patent application.

No fee is believed to be required. However, if any fee is required,
please use Deposit Account No. **11-0600**. A duplicate copy of this transmittal letter is
enclosed for that purpose.

Respectfully submitted,

KENYON & KENYON


By: LG 2 mag (b No. 41,172)

Dated: 7/9/04

By: Rich L. Mayer

Richard L. Mayer
Reg. No. 22,490

One Broadway
New York, NY 10004
(212) 425-7200



[10191/2313]

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s) : LENZING et al.
Appl. No. : 10/088,841
Filed : December 9, 2002
For : DEVICE FOR DETERMINING AT LEAST ONE
PARAMETER OF A FLOWING MEDIUM

Art Unit : 2855

Examiner : Jewel Vergie Thompson

Conf. No. : 2176

I hereby certify that this correspondence is being deposited with
the United States Postal Service as first class mail in an envelope
addressed to: Commissioner for Patents, P.O. Box 1450
Alexandria, VA 22313-1450, on

Date 7/9/04

Atty's Reg. # 41,172

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Atty's Signature

LG Magistre
DERVIS MAGISTRE
KENYON & KENYON

AMENDMENT

S I R:

In response to the Office Action mailed on April 9, 2004, kindly reconsider the
above-identified application in light of the following amendment and remarks.

Amendments to the Specification do not appear in this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of
this paper.

Amendments to the Drawings do not appear in this paper.

Remarks begin on page 4 of this paper